

**Disc-O-Sem<sup>®</sup> Silver PMD / PMA**



**The Professional's Choice**



# Exclusive technology

**Disc-O-Sem<sup>®</sup>** Silver P




Model with 2 rows of discs - Disc-O-Sem Silver P

Distribution heads on seeding ramp for more accuracy and more useful volume in the hopper (1000 L).



Stainless steel metering-unit with double Ø70 mm outlet (0.4 kg to 250 kg/Ha).



« Minimum Tillage » seeding ramp with centralized pressure control. 15 cm spacing.



Working element with hubs without lubrication and Ø460 mm discs.




# Mounted and adjustable, seeder in rows

**Disc-O-Sem<sup>®</sup>**






**Silver PM adjustable**

Working elements modularity:





# Specifications

|   |             |             |
|---|-------------|-------------|
|  Working width ( $\approx m$ )                            | <b>3,00</b> | <b>4,00</b> |
|  Transport width ( $\approx m$ )<br>(without accessories) | 3,00        | 4,00        |
|  Power requirement min-max (hp)                           | 120 - 180   | 150-210     |
|  Number of discs   | 24          | 32          |
|  Number of seeding shares                                 | 20          | 28          |



535 rue Pierre Levasseur  
44158 Ancenis - FRANCE

T. +33 (0)2 51 14 14 40  
F. +33 (0)2 40 96 32 36

agrisem@agrisem.com  
www.agrisem.com



Your dealer